

**125-250
400 KN**

KIO TRENCH MODULARE | 900x500
MODULAR KIO TRENCH
LUCE NETTA | 400 mm
CLEAR OPENING

Coperchio di ispezione modulare 125 KN 250 KN - 400 KN prodotto in materiale composito da azienda certificata ISO 9001:2008, ISO 14001:2004 e ISO OHSAS 18001:2007.

Marcatura riportante resistenza strutturale e identificazione del produttore.

Composto da:

- Coperchio di forma rettangolare in materiale composito con superficie antisdrucciolo.
- Due tasche di sollevamento in acciaio inox.
- Sistema di chiusura opzionale.



Modular composite cover 125 KN - 250 KN 400 KN manufactured by ISO 9001:2008, ISO 14001:2004 and ISO OHSAS 18001:2007 certified company. Marking: Load resistance and manufacturer's name.

It is composed of:

- Rectangular cover made of composite material with anti-slip surface.
- Two stainless steel slots for lifting.
- Optional locking system.



Le immagini e i disegni riportati nella scheda sono puramente indicativi
The drawing and the information contained are only for general presentation purposes



Descrizione Description	B (mm)	C (mm)	D (mm)	E (mm)
KIO TRENCH 125 KN	32	400	500	24
KIO TRENCH 250 KN	36	400	500	28
KIO TRENCH 400 KN	48	400	500	40

125-250 KN

KIO TRENCH MODULARE | **900x500**
MODULAR KIO TRENCH
LUCE NETTA | **800 mm**
CLEAR OPENING

Coperchio di ispezione modulare 125 KN 250 KN prodotto in materiale composito da azienda certificata ISO 9001:2008, ISO 14001:2004 e ISO OHSAS 18001:2007.

Marcatura riportante resistenza strutturale e identificazione del produttore.

Composto da:

- Coperchio di forma rettangolare in materiale composito con superficie antisdrucciolo.
- Due tasche di sollevamento in acciaio inox.
- Sistema di chiusura opzionale.





Modular composite cover 125 KN - 250 KN manufactured by ISO 9001:2008, ISO 14001:2004 and ISO OHSAS 18001:2007 certified company. Marking: Load resistance and manufacturer's name.

It is composed of:

- Rectangular cover made of composite material with anti-slip surface.
- Two stainless steel slots for lifting.
- Optional locking system.

Le immagini e i disegni riportati nella scheda sono puramente indicativi
The drawing and the information contained are only for general presentation purposes



Descrizione Description	B (mm)	C (mm)	D (mm)	E (mm)
KIO TRENCH 125 KN	48	800	900	40
KIO TRENCH 250 KN	56	800	900	48

Rev. 1 - 02/2017

125-250 400 KN

KIO TRENCH SINGOLO SINGLE KIO TRENCH | 900x500

Coperchio di ispezione singolo 125 KN - 250 KN - 400 KN prodotto in materiale composito da azienda certificata ISO 9001:2008, ISO 14001:2004 e ISO OHSAS 18001:2007.

Marcatura riportante resistenza strutturale e identificazione del produttore.

Composto da:

- Coperchio di forma rettangolare in materiale composito con superficie antisdrucciolo.
- Due tasche di sollevamento in acciaio inox.
- Sistema di chiusura opzionale.



Single composite cover 125 KN - 250 KN - 400 KN manufactured by ISO 9001:2008, ISO 14001:2004 and ISO OHSAS 18001:2007 certified company. Marking: Load resistance and manufacturer's name.

It is composed of:

- Rectangular cover made of composite material with anti-slip surface.
- Two stainless steel slots for lifting.
- Optional locking system.



Le immagini e i disegni riportati nella scheda sono puramente indicativi
The drawing and the information contained are only for general presentation purposes



Descrizione Description	B (mm)	C x C (mm)	D (mm)	E (mm)
KIO TRENCH 125 KN	25	400 x 800	500	17
KIO TRENCH 250 KN	32	400 x 800	500	24
KIO TRENCH 400 KN	38	400 x 800	500	30

Rev. 0 - 02/2017